



WOMEN'S SPECIALISTS

Health Screening Packages

Tests	Gynae Basic Package	HPV DNA Testing	Gynae Basic + Mammogram Package	Pre-Conception Package	Rose Package	Orchid Package
Remarks	This is specially designed for ladies who want to screen for tumours, cysts & common cancers of the genital tract only.	This is highly recommended for women >30years old or with abnormal PAP smear results to improve the accuracy of screening for cervical lesionsa.	For ladies above 40 years old, mammogram is added to the Gynae Basic package to screen for breast cancer.	In addition to Gynae Basic Package, blood tests are done to exclude infectious diseases such as HIV, Syphilis & Hepatitis B. Blood grouping & Rubella immunity assessments are also included.	This is a comprehensive package to assess the general health of the patient. Fasting lipid profile, renal & liver function tests are included.	For women above 40 years old, mammogram is added to the Rose package.
Price	S\$150/-	S\$120/-	S\$300/-	S\$250/-	S\$450/-	S\$550/-
Physical examination by Specialist + assessment of BMI & blood pressure	*		*	*	*	*
Pap smear	*		*	*	*	*
Ultrasound pelvis	*		*	*	*	*
Mammogram			*			*
Electrocardiogram					*	*
Chest X-ray					*	*
Stool for occult blood					*	*
Urine microscopy					*	*
	Blood Tests					
Blood group				*	*	*
Full blood count				*	*	*
Hb Electrophoresis				*		
Fasting glucose					*	*
Thyroid function test					*	*
Kidney function test					*	*
Liver function test					*	*
Fasting lipid profile					*	*
Rubella Ig G				*		
Hep B immunity screening				*	*	*
VDRL screening				*	*	*
HIV screening				*	*	*

All rates are subject to revision without prior notice

Gentle Reminders

FASTING	Please come fasted from 12 midnight if a fasting glucose or lipid test is indicated as in Rose or Orchid Packages
PAP SMEARS	Please schedule your health screening appointment at least 1 week after the last day of your menses.
MAMMOGRAM	Do not apply talcum powder, creams or deodorants to your chest region on the day of your mammogram. Please bring along previous mammogram films, if any, for comparison.
URINE ANALYSIS	In order to avoid inaccurate results, menstruation must have stopped and sexual intercourse should be avoided for at least 7 days.